

MikroTik distributor pricelist (October 2017), USD		List	Distributor
Routers			
RB750r2	hEX lite with 850MHz CPU, 64MB RAM, 5 LAN ports, RouterOS L4, plastic case, PSU	39.95	29.95
RB750UPr2	hEX PoE lite with 650MHz CPU, 64MB RAM, 5xLAN (four with PoE out), USB, RouterOS L4, plastic case and PSU	59.95	41.95
RB750Gr3	hEX with Dual Core 880MHz MHz CPU, 256MB RAM, 5 Gigabit LAN ports, USB, RouterOS L4, plastic case, PSU	59.95	41.95
RB960PGS	hEX PoE with 800MHz CPU, 128MB RAM, 5x Gigabit LAN (four with PoE out), USB, RouterOS L4, plastic case and PSU	79	55
RB750P-PBr2	PowerBOX with 650MHz CPU, 64MB RAM, 5xLAN (four with PoE out), RouterOS L4, outdoor case, PSU, PoE, mounting set	69	48
PowerBox Pro	RB960PGS-PB with 800MHz CPU, 128MB RAM, 5x Gigabit LAN (four with PoE out), SFP cage, RouterOS L4, outdoor case, PSU, PoE, mounting set	99	70
RB2011iL-IN	RouterBOARD 2011iL with Atheros 74K MIPS CPU, 64MB RAM, 5xLAN, 5XGbit LAN, RouterOS L4, desktop case, PSU	99	70
RB2011iL-RM	RouterBOARD 2011iL-RM with Atheros 74K MIPS CPU, 64MB RAM, 5xLAN, 5XGbit LAN, RouterOS L4, 1U rackmount case, PSU	99	70
RB2011iLS-IN	RouterBOARD 2011iLS with Atheros 74K MIPS CPU, 64MB RAM, 1x SFP port, 5xLAN, 5XGbit LAN, RouterOS L4, desktop case, PSU	109	77
RB2011UiAS-IN	RouterBOARD 2011UiAS with Atheros 74K MIPS CPU, 128MB RAM, 1xSFP port, 5xLAN, 5xGbit LAN, RouterOS L5, desktop case, PSU, LCD panel	119	83
RB2011UiAS-RM	RouterBOARD 2011UiAS with Atheros 74K MIPS CPU, 128MB RAM, 1xSFP port, 5xLAN, 5xGbit LAN, RouterOS L5, 1U rackmount case, PSU, LCD panel	119	83
RB3011UiAS-RM	RouterBOARD 3011UiAS with Dual core 1.4GHz ARM CPU, 1GB RAM, 10xGbit LAN, 1xSFP port, RouterOS L5, 1U rackmount case, LCD panel	179	125
RB1100AHx2	RouterBOARD 1100AHx2 with PowerPC Dual Core 1066Mhz CPU, 2GB RAM, 13xGbit LAN, RouterOS L6, 1U rackmount case, PSU	349	249
RB1100AHx4	RouterBOARD 1100x4 with Annapurna Alpine AL21400 Cortex A15 CPU (4-cores, 1.4GHz per core), 1GB RAM, 13xGbit LAN, RouterOS L6, 1U rackmount case, Dual PSU	299	195
RB1100AHx4 Dude Edition	RouterBOARD 1100Dx4 with Annapurna Alpine AL21400 Cortex A15 CPU (4-cores, 1.4GHz per core), 1GB RAM, 13xGbit LAN, 60GB M.2 drive, RouterOS L6, 1U rackmount case, Dual PSU	349	249
CCR1009-7G-1C-PC	Cloud Core Router 1009-7G-1C-PC with Tilera Tile-Gx9 CPU (9-cores, 1Ghz per core), 1GB RAM, 7xGbit LAN, 1x Combo port (1xGbit LAN or SFP), RouterOS L6, passive cooling desktop enclosure, rackmount ears, PSU	425	299
CCR1009-7G-1C-1S+	Cloud Core Router 1009-7G-1C-1S+ with Tilera Tile-Gx9 CPU (9-cores, 1.2Ghz per core), 2GB RAM, 7xGbit LAN, 1x Combo port (1xGbit LAN or SFP), 1x SFP+ cage, RouterOS L6, 1U rackmount case, Dual PSU, LCD panel	495	345
CCR1009-7G-1C-1S+PC	Cloud Core Router 1009-7G-1C-1S+PC with Tilera Tile-Gx9 CPU (9-cores, 1Ghz per core), 2GB RAM, 7xGbit LAN, 1x Combo port (1xGbit LAN or SFP), 1x SFP+ cage, RouterOS L6, LCD panel, passive cooling desktop enclosure, PSU	495	345
CCR1016-12G	Cloud Core Router 1016-12G with Tilera Tile-Gx16 CPU (16-cores, 1.2Ghz per core), 2GB RAM, 12xGbit LAN, RouterOS L6, 1U rackmount case, PSU, LCD panel	645	451
CCR1016-12S-1S+	Cloud Core Router 1016-12S-1S+ with Tilera Tile-Gx16 CPU (16-cores, 1.2Ghz per core), 2GB RAM, 12xSFP cages, 1xSFP+ cage, RouterOS L6, 1U rackmount case, Dual PSU, LCD panel	745	521
CCR1036-12G-4S	Cloud Core Router 1036-12G-4S with Tilera Tile-Gx36 CPU (36-cores, 1.2Ghz per core), 4GB RAM, 4xSFP cage, 12xGbit LAN, RouterOS L6, 1U rackmount case, PSU, LCD panel	995	695
CCR1036-8G-2S+	Cloud Core Router 1036-8G-2S+ with Tilera Tile-Gx36 CPU (36-cores, 1.2Ghz per core), 4GB RAM, 2xSFP+ cage, 8xGbit LAN, RouterOS L6, 1U rackmount case, PSU, LCD panel	1,095	765
CCR1036-12G-4S-EM	Cloud Core Router 1036-12G-4S with Tilera Tile-Gx36 CPU (36-cores, 1.2Ghz per core), 16GB RAM, 4xSFP cage, 12xGbit LAN, RouterOS L6, 1U rackmount case, PSU, LCD panel	1,195	835
CCR1036-8G-2S+EM	Cloud Core Router 1036-8G-2S+EM with Tilera Tile-Gx36 CPU (36-cores, 1.2Ghz per core), 16GB RAM, 2xSFP+ cage, 8xGbit LAN, RouterOS L6, 1U rackmount case, PSU, LCD panel	1,295	905
CCR1072-1G-8S+	Cloud Core Router 1072-1G-8S+ with Tilera Tile-Gx72 CPU (72-cores, 1GHz per core), 16GB RAM, 8xSFP+ cage, 1xGbit LAN, RouterOS L6, 1U rackmount case, two redundant hot plug PSU, LCD panel	3,050	2,135

Switches

RB260GS	RouterBOARD 260GS 5-port Gigabit smart switch with SFP cage, SwOS, plastic case, PSU	39.95	29.95
RB260GSP	RouterBOARD 260GSP 5-port Gigabit smart switch with SFP cage, SwOS, plastic case, PSU, POE-OUT	55.95	39
CRS106-1C-5S	Cloud Router Switch 106-1C-5S with QCA8511 400MHz CPU, 128MB RAM, 1x Combo port (Gigabit Ethernet or SFP), 5 x SFP cages, RouterOS L5, desktop case, PSU	59	41

MikroTik distributor pricelist (October 2017), USD		List	Distributor
FiberBox	CRS105-5S-FB with 400MHz CPU, 128MB RAM, 5xSFP cages, 1x S-RJ01 module included, RouterOS L5, outdoor case, PSU, PoE, mounting set	79	55
CRS112-8G-4S-IN	Cloud Router Switch 112-8G-4S-IN with QCA8511 400Mhz CPU, 128MB RAM, 8xGigabit LAN, 4xSFP, RouterOS L5, desktop case, PSU	139	97
CSS326-24G-2S+RM	Cloud Smart Switch 326-24G-2S+RM with 24 x Gigabit Ethernet ports, 2x SFP+ cages, SwOS, 1U rackmount case, PSU	139	99
CRS109-8G-1S-2HnD-IN	Cloud Router Switch 109-8G-1S-2HnD-IN with Atheros AR9344 CPU, 128MB RAM, 8xGigabit LAN, 1xSFP, 2.4Ghz 802.11b/g/n wireless, RouterOS L5, LCD panel, desktop case, PSU	149	105
CRS125-24G-1S-IN	Cloud Router Switch 125-24G-1S-IN with Atheros AR9344 CPU, 128MB RAM, 24xGigabit LAN, 1xSFP, RouterOS L5, LCD panel, desktop case, PSU	189	136
CRS326-24G-2S+RM	Cloud Router Switch 326-24G-2S+RM with 800 MHz CPU, 512MB RAM, 24xGigabit LAN, 2xSFP+ cages, RouterOS L5 or SwitchOS (dual boot), 1U rackmount case, PSU	199	139
CRS125-24G-1S-2HnD-IN	Cloud Router Switch 125-24G-1S-IN with Atheros AR9344 CPU, 128MB RAM, 24xGigabit LAN, 1xSFP, RouterOS L5, LCD panel, 2.4Ghz 802.11b/g/n wireless, desktop case, PSU	209	153
CRS212-1G-10S-1S+IN	Cloud Router Switch 212-1G-10S-1S+IN with Atheros QC8519 400Mhz CPU, 64MB RAM, 1xGigabit LAN, 10xSFP cages, 1xSFP+ cage, RouterOS L5, LCD panel, desktop case, PSU	219	153
CRS317-1G-16S+RM	Cloud Router Switch 317-1G-16S+RM with 800MHz CPU, 1GB RAM, 1xGigabit LAN, 16xSFP+ cages, RouterOS L6 or SwitchOS (dual boot), passive cooling 1U rackmount enclosure, Dual redundant PSU	399	279

Wireless 802.11ac systems

RBSXT5HacD2n	SXT Lite5 ac with 16dBi 5GHz antenna, Dual Chain 802.11ac wireless, 650MHz CPU, 64MB RAM, 10/100Mbps Ethernet, POE, PSU, pole mount, RouterOS L3, International version	65	44
RBSXT5HacD2n-US	SXT Lite5 ac with 16dBi 5GHz antenna, Dual Chain 802.11ac wireless, 650MHz CPU, 64MB RAM, 10/100Mbps Ethernet, POE, PSU, pole mount, RouterOS L3, USA version	65	44
RBSXTG-5HPacD	SXT 5 ac with 16dBi 5GHz antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, Gigabit Ethernet, USB, POE, PSU, pole mount, RouterOS L4, International version	109	79
RBSXTG-5HPacD-US	SXT 5 ac with 16dBi 5GHz antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, Gigabit Ethernet, USB, POE, PSU, pole mount, RouterOS L4, USA version	109	79
RBSXTG-5HPacD-SA	SXT SA5 ac with 13dBi 5GHz 90 degree sector antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, Gigabit Ethernet, USB, POE, PSU, pole mount, RouterOS L4, International version	119	83
RBSXTG-5HPacD-SA-US	SXT SA5 ac with 13dBi 5GHz 90 degree sector antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, Gigabit Ethernet, USB, POE, PSU, pole mount, RouterOS L4, USA version	119	83
RB921GS-5HPacD-15S	mANTBox 15s with 15dBi 5GHz 120 degree sector antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, 1xGbit LAN, 1xSFP, PoE, PSU, mounting kit, RouterOS L4), International version	139	99
RB921GS-5HPacD-15S-US	mANTBox 15s with 15dBi 5GHz 120 degree sector antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, 1xGbit LAN, 1xSFP, PoE, PSU, mounting kit, RouterOS L4), USA version	139	99
RB921GS-5HPacD-19S	mANTBox 19s with 19dBi 5GHz 120 degree sector antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, 1xGbit LAN, 1xSFP, PoE, PSU, mounting kit, RouterOS L4, International version	199	139
RB921GS-5HPacD-19S-US	mANTBox 19s with 19dBi 5GHz 120 degree sector antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, 1xGbit LAN, 1xSFP, PoE, PSU, mounting kit, RouterOS L4, USA version	199	139
RBSXTG-5HPacD-HG	SXT HG5 ac with 5GHz 17dBi 24 degree antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, Gigabit Ethernet, USB, POE, PSU, pole mount, RouterOS L4, International version	119	83
RBSXTG-5HPacD-HG-US	SXT HG5 ac with 5GHz 17dBi 24 degree antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, Gigabit Ethernet, USB, POE, PSU, pole mount, RouterOS L4, USA version	119	83
RBDynaDishG-5HacD	DynaDish 5 with 25dBi 5GHz 8 degree antenna with Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, Gigabit Ethernet, POE, PSU, pole mount, RouterOS L3, International version	179	109
RBDynaDishG-5HacD-US	DynaDish 5 with 25dBi 5GHz 8 degree antenna with Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, Gigabit Ethernet, POE, PSU, pole mount, RouterOS L3, US version	179	109

MikroTik distributor pricelist (October 2017), USD		List	Distributor
RB911G-5HPacD-QRT	QRT 5 ac with 24dBi 5GHz 11 degree antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, Gigabit Ethernet, POE, PSU, pole mount, RouterOS L4, International version	199	139
RB911G-5HPacD-QRT-US	QRT 5 ac with 24dBi 5GHz 11 degree antenna, Dual Chain 802.11ac wireless, 720MHz CPU, 128MB RAM, Gigabit Ethernet, POE, PSU, pole mount, RouterOS L4, USA version	199	139
RB911G-5HPacD-NB	NetBox 5 (720MHz CPU, 128MB RAM, 1xGigabit LAN, built-in 5Ghz 802.11ac 2x2 dual chain wireless with two RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount), International version	109	79
RB911G-5HPacD-NB-US	NetBox 5 (720MHz CPU, 128MB RAM, 1xGigabit LAN, built-in 5Ghz 802.11ac 2x2 dual chain wireless with two RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount), USA version	109	79
RB922UAGS-5HPacD-NM	NetMETAL 5 (720MHz CPU, 128MB RAM, 1xGigabit LAN, 1xSFP cage, 1xUSB, 1xminiPCI-e, built-in 5Ghz 802.11ac 2x2 wireless with two RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole and rail mount), International version	149	104
RB922UAGS-5HPacD-NM-US	NetMETAL 5 (720MHz CPU, 128MB RAM, 1xGigabit LAN, 1xSFP cage, 1xUSB, 1xminiPCI-e, built-in 5Ghz 802.11ac 2x2 wireless with two RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole and rail mount), USA version	149	104
RB922UAGS-5HPacT-NM	NetMETAL 5 (720MHz CPU, 128MB RAM, 1xGigabit LAN, 1xSFP cage, 1xUSB, 1xminiPCI-e, built-in 5Ghz 802.11ac 3x3 tripple chain wireless w three RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount), International version	159	111
RB922UAGS-5HPacT-NM-US	NetMETAL 5 (720MHz CPU, 128MB RAM, 1xGigabit LAN, 1xSFP cage, 1xUSB, 1xminiPCI-e, built-in 5Ghz 802.11ac 3x3 tripple chain wireless w three RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount), USA version	159	111
RB921UAGS-5SHPacD-NM	NetMETAL 5 (720MHz CPU, 128MB RAM, 1xGigabit LAN, 1xSFP cage, 1xUSB, built-in 5Ghz 802.11ac 2x2 dual chain Super High Power wireless with two RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount), International version	159	111
RB921UAGS-5SHPacD-NM-US	NetMETAL 5 (720MHz CPU, 128MB RAM, 1xGigabit LAN, 1xSFP cage, 1xUSB, built-in 5Ghz 802.11ac 2x2 dual chain Super High Power wireless with two RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount), US version	159	111
RB921UAGS-5SHPacT-NM	NetMETAL 5 (720MHz CPU, 128MB RAM, 1xGigabit LAN, 1xSFP cage, 1xUSB, built-in 5Ghz 802.11ac 3x3 tripple chain Super high power wireless w three RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount), International version	169	118
RB921UAGS-5SHPacT-NM-US	NetMETAL 5 (720MHz CPU, 128MB RAM, 1xGigabit LAN, 1xSFP cage, 1xUSB, built-in 5Ghz 802.11ac 3x3 tripple chain Super high power wireless w three RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount), US version	169	118
RBGrooveG-52HPacn	Groove 52 ac with Nmale connector, 720MHz CPU, 64MB RAM, 1 x Gigabit LAN, 1 x built-in high power 2.4/5GHz 802.11a/b/g/n/ac wireless, RouterOS L3, plastic case, mounting loops, PoE, PSU, International version	79	55
RBGrooveG-52HPacn-US	Groove 52 ac with Nmale connector, 720MHz CPU, 64MB RAM, 1 x Gigabit LAN, 1 x built-in high power 2.4/5GHz 802.11a/b/g/n/ac wireless, RouterOS L3, plastic case, mounting loops, PoE, PSU, USA version	79	55
RBGrooveGA-52HPacn	GrooveA 52 ac with Nmale connector, 720MHz CPU, 64MB RAM, 1 x Gigabit LAN, 1 x built-in high power 2.4/5GHz 802.11a/b/g/n/ac wireless, RouterOS L4, plastic case, mounting loops, PoE, PSU, Omni antenna, International version	99	70
RBGrooveGA-52HPacn-US	GrooveA 52 ac with Nmale connector, 720MHz CPU, 64MB RAM, 1 x Gigabit LAN, 1 x built-in high power 2.4/5GHz 802.11a/b/g/n/ac wireless, RouterOS L4, plastic case, mounting loops, PoE, PSU, Omni antenna, USA version	99	70
RBMetalG-52SHPacn	Metal 52 ac with Nmale connector, 720MHz CPU, 64MB RAM, 1 x Gigabit LAN, 1 x built-in high power 2.4/5GHz 802.11a/b/g/n/ac wireless, RouterOS L4, metal case, mounting loops, PoE, PSU, Omni antenna, International version	119	83
RBMetalG-52SHPacn-US	Metal 52 ac with Nmale connector, 720MHz CPU, 64MB RAM, 1 x Gigabit LAN, 1 x built-in high power 2.4/5GHz 802.11a/b/g/n/ac wireless, RouterOS L4, metal case, mounting loops, PoE, PSU, Omni antenna, USA version	119	83
OmniTIK 5 ac	OmniTIK 5 ac with 2 x 7.5dBi integrated 5GHz Omni antennas, High Gain Dual Chain 802.11an/ac wireless, 720MHz CPU, 128MB RAM, 5xGigabit LAN, POE, PSU, pole mount, RouterOS L4, International version	109	76
OmniTIK 5 ac US	OmniTIK 5 ac with 2 x 7.5dBi integrated 5GHz Omni antennas, High Gain Dual Chain 802.11an/ac wireless, 720MHz CPU, 128MB RAM, 5xGigabit LAN, POE, PSU, pole mount, RouterOS L4, US version	109	76
OmniTIK 5 POE ac	OmniTIK 5 POE ac with 2 x 7.5dBi integrated 5GHz Omni antennas, High Gain Dual Chain 802.11an/ac wireless, 720MHz CPU, 128MB RAM, 5xGigabit LAN (4 with POE -OUT), POE, PSU, pole mount, RouterOS L4, International version	129	90
OmniTIK 5 POE ac US	OmniTIK 5 POE ac with 2 x 7.5dBi integrated 5GHz Omni antennas, High Gain Dual Chain 802.11an/ac wireless, 720MHz CPU, 128MB RAM, 5xGigabit LAN (4 with POE -OUT), POE, PSU, pole mount, RouterOS L4, US version	129	90

MikroTik distributor pricelist (October 2017), USD		List	Distributor
Wireless systems			
RBSXTLTE3-7	SXT LTE with 3 (1800MHz) and 7 (2600MHz) LTE FDD band support, 9dBi 60 degree antenna, 400Mhz CPU, 64MB RAM, 1x LAN, POE, PSU, RouterOS L3, International version	129	90
DISC Lite 5	DISC Lite5 with 21dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, PoE, PSU, pole mount, RouterOS L3, International version	48	33
DISC Lite 5 US	DISC Lite5 with 21dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, PoE, PSU, pole mount, RouterOS L3, US version	48	33
RBSXTKit	SXT sixpack (5pcs SXT 5 + 1pcs SXT SA5), International version	445	310
RBSXTKit-US	SXT sixpack (5pcs SXT 5 + 1pcs SXT SA5), USA version	445	310
SXTsq Lite5	RBSXTsq5nD with 16dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3, International version	46	32
SXTsq Lite5-US	RBSXTsq5nD with 16dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3, US version	46	32
SXTsq 5	RBSXTsq5HPnD with 16dBi 5GHz antenna, High Power Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3, International version	49	35
SXTsq 5-US	RBSXTsq5HPnD with 16dBi 5GHz antenna, High Power Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3, US version	49	35
RBSXT-5nDr2	SXT Lite5 with 16dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3, International version	59	41
RBSXT-5nDr2-US	SXT Lite5 with 16dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3, US version	59	41
RBLHG-5nD	LHG 5 with 24.5dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1x LAN, POE, PSU, RouterOS L3, International version	59	40
RBLHG-5nD-US	LHG 5 with 24.5dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1x LAN, POE, PSU, RouterOS L3, US version	59	40
RBLHG-5nD-3	LHG 5 3-pack (LHG 5 with 24.5dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1x LAN, POE, PSU, RouterOS L3, International version) – all three antennas in single box	177	120
RBLHG-5nD-3-US	LHG 5 3-pack (LHG 5 with 24.5dBi 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1x LAN, POE, PSU, RouterOS L3, US version) – all three antennas in single box	177	120
LHG HP5	RBLHG-5HPnD with 24.5dBi 5GHz antenna, Dual Chain High Power 802.11an wireless, 600MHz CPU, 64MB RAM, 1x LAN, POE, PSU, RouterOS L3, International version	69	48
LHG HP5-US	RBLHG-5HPnD with 24.5dBi 5GHz antenna, Dual Chain High Power 802.11an wireless, 600MHz CPU, 64MB RAM, 1x LAN, POE, PSU, RouterOS L3, USA version	69	48
LHG XL HP5	RBLHG-5HPnD-XL with 27dBi 5GHz antenna, Dual Chain High Power 802.11an wireless, 600MHz CPU, 64MB RAM, 1x LAN, POE, PSU, RouterOS L3, International version	79	55
LHG XL HP5-US	RBLHG-5HPnD-XL with 27dBi 5GHz antenna, Dual Chain High Power 802.11an wireless, 600MHz CPU, 64MB RAM, 1x LAN, POE, PSU, RouterOS L3, USA version	79	55
RBSXT-5HPnDr2	SXT 5 with 16dBi 5GHz antenna, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3, International version	89	62
RBSXT-5HPnDr2-US	SXT 5 with 16dBi 5GHz antenna, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3, USA version	89	62
RBSXTG-5HPnD-HGr2	SXT HG5 with 17dBi 5GHz antenna, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 64MB, 1xGigabit LAN, POE, PSU, pole mount, RouterOS L4, International version	95	66
RBSXTG-5HPnD-HGr2-US	SXT HG5 with 17dBi 5GHz antenna, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 64MB, 1xGigabit LAN, POE, PSU, pole mount, RouterOS L4, USA version	95	66
RBSXTG-5HPnD-SAr2	SXT SA5 with 14dBi 5GHz 90 degrees sector antenna, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1xGigabit LAN, POE, PSU, pole mount, RouterOS L4, International version	99	70

MikroTik distributor pricelist (October 2017), USD		List	Distributor
RBSXTG-5HPnD-SAr2-US	SXT SA5 with 14dBi 5GHz 90 degrees sector antenna, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1xGigabit LAN, POE, PSU, pole mount, RouterOS L4, USA version	99	70
RBSEXTANTG5HPnD	SEXTANT with 18dBi 5GHz antenna, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 64MB, 1xGigabit LAN,, POE, PSU, pole mount, RouterOS L3, International version	110	78
RBSEXTANTG5HPnD-US	SEXTANT with 18dBi 5GHz antenna, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 64MB, 1xGigabit LAN,, POE, PSU, pole mount, RouterOS L3, USA version	110	78
RBSXT-2nDr2	SXT Lite2 with 10dBi 2.4GHz antenna, Dual Chain 802.11bgn wireless, 600MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3	49	35
LHG 2	RBLHG-2nD with 18dBi 2.4GHz antenna, Dual Chain 802.11bgn wireless, 650MHz CPU, 64MB RAM, 1 x LAN, POE, PSU, pole mount, RouterOS L3	58	41
RBSXTG2HnD	SXT 2 with 10dBi 60dBi 2.4GHz sector antenna, Dual Chain 802.11bgn wireless, 600MHz CPU, 64MB RAM, 1x Gigabit LAN, PSU, POE, pole mount, RouterOS L4	79	55
RBQRTG-2SHPnD	QRT 2 with 17dbi 2.4GHz antenna, Super High Gain Dual Chain 802.11bgn wireless, 600MHz CPU, 64MB, 1xGigabit LAN, POE, PSU, pole mount, RouterOS L4	149	105
RB911G-5HPnD-QRT	QRT 5 with 24dbi 5GHz antenna, High Gain Dual Chain 802.11an wireless, 600MHz, 64MB RAM, 1xGigabit LAN, POE, PSU, pole mount, RouterOS L4, International version	169	118
RB911G-5HPnD-QRT-US	QRT 5 with 24dbi 5GHz antenna, High Gain Dual Chain 802.11an wireless, 600MHz, 64MB RAM, 1xGigabit LAN, POE, PSU, pole mount, RouterOS L4, US version	169	118
RBGroove-52HPn	Groove 52 with N-male connector, High Gain Single Chain 2.4GHz / 5GHz 802.11abgn wireless, 600MHz CPU, 64MB RAM, 1x LAN, mounting loops, POE, PSU, plastic case, RouterOS L3, International version	59	41
RBGroove-52HPn-US	Groove 52 with N-male connector, High Gain Single Chain 2.4GHz / 5GHz 802.11abgn wireless, 600MHz CPU, 64MB RAM, 1x LAN, mounting loops, POE, PSU, plastic case, RouterOS L3, USA version	59	41
RBGrooveA-52HPn	GrooveA 52 with N-male connector, High Gain Single Chain 2.4GHz / 5GHz 802.11abgn wireless, 600MHz CPU, 64MB RAM, 1x LAN, mounting loops, POE, PSU, plastic case, RouterOS L4, 2.4Ghz 6dBi Omni antenna, International version	79	55
RBGrooveA-52HPn-US	GrooveA 52 with N-male connector, High Gain Single Chain 2.4GHz / 5GHz 802.11abgn wireless, 600MHz CPU, 64MB RAM, 1x LAN, mounting loops, POE, PSU, plastic case, RouterOS L4, 2.4Ghz 6dBi Omni antenna, USA version	79	55
RBMetal2SHPn	Metal 2 with N-male connector, Super High Gain Single Chain 2.4GHz 802.11bgn wireless, 400MHz CPU, 64MB RAM, 1xLAN, PSU, POE, metal case, mounting loops, RouterOS L4, 2.4Ghz 6dBi Omni antenna	99	70
RBMetal5SHPn	Metal 5 with N-male connector, Super High Gain Single Chain 5GHz 802.11an wireless, 400MHz CPU, 64MB RAM, 1xLAN, PSU, POE, metal case, mounting loops, RouterOS L4, International version	99	70
RBMetal5SHPn-US	Metal 5 with N-male connector, Super High Gain Single Chain 5GHz 802.11an wireless, 400MHz CPU, 64MB RAM, 1xLAN, PSU, POE, metal case, mounting loops, RouterOS L4, USA version	99	70
RBMetal9HPn	Metal 9 with N-male connector, High Gain Single Chain 900MHz wireless, 400MHz CPU, 64MB RAM, 1xLAN, PSU, POE, metal case, mounting loops, RouterOS L4, USA version	129	90
RB912UAG-2HPnD-OUT	BaseBox 2 (RouterBOARD 912UAG with 600Mhz Atheros CPU, 64MB RAM, 1xGigabit LAN, USB, miniPCIe, built-in 2Ghz 802.11b/g/n 2x2 two chain wireless with two RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount)	89	62
RB912UAG-5HPnD-OUT	BaseBox 5 (RouterBOARD 912UAG with 600Mhz Atheros CPU, 64MB RAM, 1xGigabit LAN, USB, miniPCIe, built-in 5Ghz 802.11a/n 2x2 two chain wireless with two RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount), International version	89	62
RB912UAG-5HPnD-OUT-US	BaseBox 5 (RouterBOARD 912UAG with 600Mhz Atheros CPU, 64MB RAM, 1xGigabit LAN, USB, miniPCIe, built-in 5Ghz 802.11a/n 2x2 two chain wireless with two RP-SMA connectors, RouterOS L4, outdoor enclosure, POE, PSU, pole mount, rail mount), USA version	89	62
RBOmniTikU-5HnD	OmniTIK 5 with 2 x 7.5dBi integrated 5GHz Omni antennas, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 5x LAN USB, POE, PSU, pole mount, RouterOS L4, International version	89	62
RBOmniTikU-5HnD-US	OmniTIK 5 with 2 x 7.5dBi integrated 5GHz Omni antennas, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 5x LAN USB, POE, PSU, pole mount, RouterOS L4, USA version	89	62
RBOmniTikUPA-5HnD	OmniTIK 5 PoE with 2 x 7.5dBi integrated 5GHz Omni antennas, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 128MB RAM, 5 x LAN (4 with POE -OUT), USB, POE, PSU, pole mount, RouterOS L4, International version	99	69

MikroTik distributor pricelist (October 2017), USD		List	Distributor
RBOmniTikUPA-5HnD-US	OmniTIK 5 PoE with 2 x 7.5dBi integrated 5GHz Omni antennas, High Gain Dual Chain 802.11an wireless, 600MHz CPU, 128MB RAM, 5 x LAN (4 with POE -OUT), USB, POE, PSU, pole mount, RouterOS L4, USA version	99	69
LDF 5	LDF 5 with 9dBi integrated 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1x LAN, outdoor case, POE, PSU, International version	39	27
LDF 5 US	LDF 5 with 9dBi integrated 5GHz antenna, Dual Chain 802.11an wireless, 600MHz CPU, 64MB RAM, 1x LAN, outdoor case, POE, PSU, US version	39	27
RBSXTG-6HPnD	SXT 6 with 16dBi 5.9-6.4GHz 28 degree antenna, Dual Chain 802.11a/n wireless, 600MHz CPU, 64MB RAM, 1x Gigabit LAN, POE, PSU, RouterOS L4, for license holders only	99	70
RBDynaDishG-6HnD	DynaDish 6 with 25dBi 5.9-6.4GHz 8 degree antenna, Dual Chain 802.11a/n wireless, 600MHz CPU, 64MB RAM, 1 x Gigabit LAN, POE, PSU, pole mount, RouterOS L4, for license holders only	179	109
Wireless Wire	Pair of preconfigured wAPG-60ad devices for 60Ghz link (Phase array 60 degree 60GHz antennas, 802.11ad wireless, four core 716MHz CPU, 256MB RAM, 1x Gigabit LAN, RouterOS L3, POE, PSU)	198	142

Wireless for home and office

hAP mini	RB931-2nD with 650MHz CPU, 32MB RAM, 3xLAN, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, RouterOS L4, tower case, PSU	19.95	13.95
RB941-2nD	hAP Lite classic with 650MHz CPU, 32MB RAM, 4xLAN, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, RouterOS L4, classic case, PSU	21.95	15.8
RB941-2nD-TC	hAP Lite with 650MHz CPU, 32MB RAM, 4xLAN, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, RouterOS L4, tower case, PSU	21.95	15.8
RB951Ui-2nD	hAP with 650MHz CPU, 64MB RAM, 5xLAN, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless with integrated antennas, USB, RouterOS L4, plastic case, PSU	45	31
RB952Ui-5ac2nD	hAP ac lite with 650MHz CPU, 64MB RAM, 5xLAN, built-in 2.4Ghz 802.11b/g/n two chain wireless with integrated antennas, built-in 5Ghz 802.11ac single chain wireless with integrated antenna, USB, plastic case, PSU, RouterOS L4, International version	49.95	35
RB952Ui-5ac2nD-US	hAP ac lite with 650MHz CPU, 64MB RAM, 5xLAN, built-in 2.4Ghz 802.11b/g/n two chain wireless with integrated antennas, built-in 5Ghz 802.11ac single chain wireless with integrated antenna, USB, plastic case, PSU, RouterOS L4, USA version	49.95	35
RB952Ui-5ac2nD-TC	hAP ac lite tower with 650MHz CPU, 64MB RAM, 5xLAN, built-in 2.4Ghz 802.11b/g/n two chain wireless with integrated antennas, built-in 5Ghz 802.11ac single chain wireless with integrated antenna, USB, tower case, PSU, RouterOS L4, International version	49.95	35
RB952Ui-5ac2nD-TC-US	hAP ac lite tower with 650MHz CPU, 64MB RAM, 5xLAN, built-in 2.4Ghz 802.11b/g/n two chain wireless with integrated antennas, built-in 5Ghz 802.11ac single chain wireless with integrated antenna, USB, tower case, PSU, RouterOS L4, USA version	49.95	35
RB962UiGS-5HacT2HnT	hAP ac with 720MHz CPU, 128MB RAM, 5x Gigabit LAN, built-in 2.4Ghz 802.11b/g/n three chain wireless with integrated antennas, built-in 5Ghz 802.11ac three chain wireless with integrated antenna, SFP cage, USB, plastic case, PSU, RouterOS L4, International version	129	90
RB962UiGS-5HacT2HnT-US	hAP ac with 720MHz CPU, 128MB RAM, 5x Gigabit LAN, built-in 2.4Ghz 802.11b/g/n three chain wireless with integrated antennas, built-in 5Ghz 802.11ac three chain wireless with integrated antenna, SFP cage, USB, plastic case, PSU, RouterOS L4, USA version	129	90
RBmAPL-2nD	mAP lite with 650MHz CPU, 64MB RAM, 1xLAN, built-in Dual Chain 2.4Ghz 802.11bgn Dual Chain wireless with integrated antennas, RouterOS L4, plastic case, PSU	25	18
RBmAP2nD	mAP with AR9531 650MHz CPU, 64MB RAM, 2xLAN, built-in 2.4Ghz 802.11bgn Dual Chain wireless with integrated antennas, microUSB, RouterOS L4, plastic case, PSU, POE-out	45	31.5
RBwAP2nD	wAP with 650MHz CPU, 64MB RAM, 1xLAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless with integrated antenna, RouterOS L4, white outdoor enclosure, PSU, PoE injector	45	31
RBwAP2nD-BE	wAP with 650MHz CPU, 64MB RAM, 1xLAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless with integrated antenna, RouterOS L4, black outdoor enclosure, PSU, PoE injector	45	31
RBwAPG-5HacT2HnD	wAP ac with 720MHz CPU, 64MB RAM, 1x Gbit LAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless, built-in 5Ghz 802.11an/ac Tripple Chain wireless, RouterOS L4, white outdoor enclosure, PSU, PoE injector, International version	89	62
RBwAPG-5HacT2HnD-US	wAP ac with 720MHz CPU, 64MB RAM, 1x Gbit LAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless, built-in 5Ghz 802.11an/ac Tripple Chain wireless, RouterOS L4, white outdoor enclosure, PSU, PoE injector, USA version	89	62

MikroTik distributor pricelist (October 2017), USD		List	Distributor
RBwAPG-5HacT2HnD-BE	wAP ac with 720MHz CPU, 64MB RAM, 1x Gbit LAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless, built-in 5GHz 802.11a/n/ac Tripple Chain wireless, RouterOS L4, dark outdoor enclosure, PSU, PoE injector, International version	89	62
RBwAPG-5HacT2HnD-BE-US	wAP ac with 720MHz CPU, 64MB RAM, 1x Gbit LAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless, built-in 5GHz 802.11a/n/ac Tripple Chain wireless, RouterOS L4, dark outdoor enclosure, PSU, PoE injector, USA version	89	62
wAP LTE Kit	RBwAPR-2nD&R11e-LTE with 650MHz CPU, 64MB RAM, 1xLAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless with integrated antenna, PXA1802 LTE modem with internal LTE antenna, RouterOS L4, outdoor enclosure, PSU, PoE injector, International version	119	83
wAP LTE Kit-US	RBwAPR-2nD&R11e-LTE-US with 650MHz CPU, 64MB RAM, 1xLAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless with integrated antenna, MDM9207 LTE modem with internal LTE antenna, RouterOS L4, outdoor enclosure, PSU, PoE injector, USA version	119	83
wAP R	RBwAPR-2nD with 650MHz CPU, 64MB RAM, 1xLAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless with integrated antenna, miniPCI slot, LTE internal antenna with 2 x u.fl connectors, RouterOS L4, outdoor enclosure, PSU, PoE injector, USA version	79	55
cAP lite	cAP lite with AR9533 650MHz CPU, 64MB RAM, 1xLAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless with 1.5dBi integrated antenna, RouterOS L4, plastic ceiling case, plastic wall case, PoE, PSU	29	20
RBcAP2nD	cAP with AR9533 650MHz CPU, 64MB RAM, 1xLAN, built-in 2.4Ghz 802.11b/g/n Dual Chain wireless with 2dBi integrated antenna, RouterOS L4, plastic case, PoE, PSU	49.95	35
RB951Ui-2HnD	RouterBOARD 951Ui-2HnD with 600Mhz CPU, 128MB RAM, 5xLAN, built-in 2.4Ghz 802b/g/n 2x2 two chain wireless with integrated antennas, plastic case, PSU, RouterOS L4	59.95	41.95
RB951G-2HnD	RouterBOARD 951G-2HnD with 600Mhz CPU, 128MB RAM, 5xGbit LAN, built-in 2.4Ghz 802b/g/n 2x2 two chain wireless with integrated antennas, plastic case, PSU, RouterOS L4	79.95	55.95
RB2011UiAS-2HnD-IN	RouterBOARD 2011UiAS-2HnD with Atheros 74K MIPS CPU, 128MB RAM, 1xSFP port, 5xLAN, 5xGbit LAN, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless, RouterOS L5, desktop case, PSU, LCD panel	129	90

RouterBOARD

RBM11G	RouterBOARD M11G with Dual Core 880MHz CPU, 256MB RAM, 1x Gbit LAN, 1x miniPCI-e, RouterOS L4	39	28
RBM33G	RouterBOARD M33G with Dual Core 880MHz CPU, 256MB RAM, 3x Gbit LAN, 2x miniPCI-e, 2x SIM slots, USB, microSD slot, M.2 slot, RouterOS L4	49	36
RB411GL	RouterBOARD 411GL with 680MHz Atheros CPU, 64MB RAM, 1x Gbit LAN, 1 miniPCI, RouterOS L4	79	55
RB411U	RouterBOARD 411 with 300MHz Atheros CPU, 32MB RAM, 1 LAN, 1 MiniPCI, 1 MiniPCIe, 1 USB slot, RouterOS L4	79	55
RB411AH	RouterBOARD 411 with 680MHz Atheros CPU, 64MB RAM, 1 LAN, 1 miniPCI, RouterOS L4	99	70
RB411AR	RouterBOARD 411 with 300MHz Atheros CPU, 64MB RAM, 1 LAN, 1 miniPCI, built in 2.4GHz wireless card, RouterOS L4	89	62
RB433UL	RouterBOARD 433UL with 400MHz Atheros CPU, 64MB RAM, 3 LAN, 3 miniPCI, 1 USB, RouterOS L4	89	62
RB433AH	RouterBOARD 433 with 680MHz Atheros CPU, 128MB RAM, 3 LAN, 3 miniPCI, RouterOS L5	149	105
RB435G	RouterBOARD 435G with 680MHz Atheros CPU, 256MB RAM, 3 Gigabit LAN, 5 miniPCI, RouterOS L5, 2 USB ports	189	132
RB450	RouterBOARD 450 with 300MHz Atheros CPU, 32MB RAM, 5 LAN ports, RouterOS L5	69	49
RB450G	RouterBOARD 450G with 680MHz Atheros CPU, 256MB RAM, 5 Gigabit LAN ports, RouterOS L5	99	70
RB850Gx2	RouterBOARD 850Gx2 with Dual Core 500MHz PowerPC CPU, 512MB RAM, 5 Gigabit LAN, RouterOS L5	129	90
RB493G	RouterBOARD 493 with 680MHz Atheros CPU, 256MB RAM, 9 Gigabit LAN, 3 miniPCI, RouterOS L5	199	139
RB911-2Hn	RouterBOARD 911 with 600MHz Atheros CPU, 64MB RAM, 1x LAN, built-in 2.4Ghz 802.11b/g/n single chain wireless, MMCX connector, RouterOS L3	39	25
RB911-5Hn	RouterBOARD 911 with 600MHz Atheros CPU, 64MB RAM, 1x LAN, built-in 5Ghz 802.11a/n single chain wireless, MMCX connector, RouterOS L3, International version	39	25
RB911-5Hn-US	RouterBOARD 911 with 600MHz Atheros CPU, 64MB RAM, 1x LAN, built-in 5Ghz 802.11a/n single chain wireless, MMCX connector, RouterOS L3, USA version	39	25
RB911-5HnD	RouterBOARD 911 with 600MHz Atheros CPU, 64MB RAM, 1x LAN, built-in 5Ghz 802.11a/n 2x2 two chain wireless, 2xMMCX connectors, RouterOS L3, International version	45	28
RB911-5HnD-US	RouterBOARD 911 with 600MHz Atheros CPU, 64MB RAM, 1x LAN, built-in 5Ghz 802.11a/n 2x2 two chain wireless, 2xMMCX connectors, RouterOS L3, USA version	45	28

MikroTik distributor pricelist (October 2017), USD		List	Distributor
RB911-5HacD	RouterBOARD 911 with 650MHz Atheros CPU, 64MB RAM, 1x LAN, built-in 5Ghz 802.11ac two chain wireless, 2xMMCX connectors, RouterOS L3, International version	49	31
RB911-5HacD-US	RouterBOARD 911 with 650MHz Atheros CPU, 64MB RAM, 1x LAN, built-in 5Ghz 802.11ac two chain wireless, 2xMMCX connectors, RouterOS L3, USA version	49	31
RB911G-2HPnD	RouterBOARD 911G with 600Mhz Atheros CPU, 64MB RAM, 1xGigabit LAN, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless, 2xMMCX connectors, RouterOS L3	49	35
RB911G-5HPnD	RouterBOARD 911G with 600Mhz Atheros CPU, 64MB RAM, 1xGigabit LAN, built-in 5Ghz 802.11a/n 2x2 two chain wireless, 2xMMCX connectors, RouterOS L3, International version	55	38
RB911G-5HPnD-US	RouterBOARD 911G with 600Mhz Atheros CPU, 64MB RAM, 1xGigabit LAN, built-in 5Ghz 802.11a/n 2x2 two chain wireless, 2xMMCX connectors, RouterOS L3, USA version	55	38
RB911G-5HPacD	RouterBOARD 911G with 720Mhz Atheros CPU, 128MB RAM, 1xGigabit LAN, built-in 5Ghz 802.11a/c 2x2 two chain wireless, 2xMMCX connectors, RouterOS L3, International version	79	55
RB911G-5HPacD-US	RouterBOARD 911G with 720Mhz Atheros CPU, 128MB RAM, 1xGigabit LAN, built-in 5Ghz 802.11a/c 2x2 two chain wireless, 2xMMCX connectors, RouterOS L3, USA version	79	55
RB912UAG-2HPnD	RouterBOARD 912UAG with 600Mhz Atheros CPU, 64MB RAM, 1xGigabit LAN, USB, miniPCIe, built-in 2.4Ghz 802.11b/g/n 2x2 two chain wireless, 2xMMCX connectors, RouterOS L4	79	55
RB912UAG-5HPnD	RouterBOARD 912UAG with 600Mhz Atheros CPU, 64MB RAM, 1xGigabit LAN, USB, miniPCIe, built-in 5Ghz 802.11a/n 2x2 two chain wireless, 2xMMCX connectors, RouterOS L4, International version	79	55
RB912UAG-5HPnD-US	RouterBOARD 912UAG with 600Mhz Atheros CPU, 64MB RAM, 1xGigabit LAN, USB, miniPCIe, built-in 5Ghz 802.11a/n 2x2 two chain wireless, 2xMMCX connectors, RouterOS L4, USA version	79	55
RB922UAGS-5HPacD	RouterBOARD 922UAGS with 720MHz Atheros CPU, 128MB RAM, 1xGigabit LAN, USB, 1xSFP, miniPCIe, SIM slot, built-in 5Ghz 802.11a/c 2x2 two chain wireless, 2xMMCX connectors, RouterOS L4, International version	99	70
RB922UAGS-5HPacD-US	RouterBOARD 922UAGS with 720MHz Atheros CPU, 128MB RAM, 1xGigabit LAN, USB, 1xSFP, miniPCIe, SIM slot, built-in 5Ghz 802.11a/c 2x2 two chain wireless, 2xMMCX connectors, RouterOS L4, USA version	99	70
RB800	RouterBOARD 800 with MPC8544 800MHz CPU, 256MB RAM, 3 Gbit LAN, 4 MiniPCI, 1 MiniPCI-e slot, RouterOS L6	359	250
RB953GS-5HnT-RP	RouterBOARD 953GS-5HnT-RP with 720MHz CPU, 128MB RAM, 3xGigabit LAN, 2xSFP cages, built-in 5Ghz 802.11a/n 3x3 three chain wireless, 3xRPSMA connectors, 2x miniPCI-e slots, 2x SIM slots, RouterOS L5, International version	169	118
RB953GS-5HnT-RP-US	RouterBOARD 953GS-5HnT-RP with 720MHz CPU, 128MB RAM, 3xGigabit LAN, 2xSFP cages, built-in 5Ghz 802.11a/n 3x3 three chain wireless, 3xRPSMA connectors, 2x miniPCI-e slots, 2x SIM slots, RouterOS L5, US version	169	118

Power supplies

18POW	Low power 24V 0.8A power supply	9	5
24HPOW	High power 24V 1.6A Power Supply + power plug	18	12
48POW	Full power 48V 0.7A Power supply + power plug	18	12
12POW150	Hot Swap 12V 150W power supply for CCR1072-1G-8S+	100	70
PW48V-12V150W	Hot Swap 12V 150W -48V DC telecom power supply for CCR1072-1G-8S+	100	70
RBPOE	Low cost Passive PoE Base Unit	5	2.2
RBGPOE	Gigabit PoE injector	8	4
RBGPOE-CON-HP	48 to 24V Gigabit PoE Converter	24.95	17.4
5VUSB	5V power injector for USB (RB411UAHR and RB493G)	3	1.5
mUPS	Smart PoE injector with a 12V battery connector, outdoor enclosure, PSU	29	20

Enclosures

CA411-711	Universal indoor case for RB411 / RB911 /RB912	15	10
CA433U	RB433 series indoor case	20	16
CA150	RB450 series indoor case	19	10
CA493	RB493 series indoor case	20	16

MikroTik distributor pricelist (October 2017), USD		List	Distributor
CA800	RB800 series indoor case	20	16
CAOTS	Small Outdoor Case for RB411/911/RB912 series, 1 Ethernet insulator	45	36
CAOTU	Large Outdoor Case for RB433/800 series for use with or without daughterboards, 1 Ethernet insulator	89	59

Accessories

QM	quickMOUNT for small antennas	5.5	2
QMP	quickMOUNT PRO for small antennas, adjustable	9.5	4.5
QMP-LHG	quickMOUNT PRO for LHG antennas, adjustable	9.5	4.5
QME	quickMOUNT extra for large antennas	9.5	4.5
RBFTC11	Fiber to Copper Converter in Outdoor enclosure, poe injector, power supply	39	27
RB14e	RouterBOARD 14e Four slot miniPCIe-PCIe adapter	49	34
RB14eU	RouterBOARD 14eU Four slot miniPCIe-PCIe adapter wih USB	59	41
S-85DLC05D	SFP module 1.25G MM 550m 850nm	22	12
S-31DLC20D	SFP module 1.25G SM 20km 1310nm	29	16
S-3553LC20D	Pair of SFP modules, S-35LC20D (1.25G SM 20km T1310nm/R1550nm) + S-53LC20D (1.25G SM 20km T1550nm/R1310nm)	79	49
S+85DLC03D	SFP+ module 10G MM 300m 850nm	59	40
S+31DLC10D	SFP+ module 10G SM 10km 1310nm	149	100
S+2332LC10D	Pair of bidirectional SFP 10G 10km modules (10G T1270nm/R1330nm + 10G T1330nm/R1270nm)	349	244
SFPONU	SFP GPON module	89	62
ACSWI	2.4-5.8 GHz Omnidirectional Swivel Antenna with cable and U.fl connector (for indoor use)	15	7
ACSWIM	2.4-5.8 GHz Omnidirectional Swivel Antenna with cable and MMCX connector (for indoor use)	15	7
ACRPSMA	Flex-guide (RPSMA to RPSMA cable 500mm)	9	6
ACMMCXRPSMA	MMCX-RPSMA pigtail	8	4
ACOMNIRPSMA	2.4Ghz 5dbi Dipole Antenna with RPSMA connector	8	4
S+DA0001	SFP+ direct attach cable, 1m	29	20
S+DA0003	SFP+ direct attach cable, 3m	39	27
S-RJ01	RJ45 SFP 10/100/1000M copper module	29	20
S+RJ10	RJ45 SFP+ 10/100/1000M/2.5G/5G/10G copper module	65	45
RBWMK	Wall Mount Kit for RB2011	8.95	5.75
Woobm-USB	Wireless out of band management USB stick	16	10

mANT Antennas

MTAS-5G-15D120	mANT 15s 5GHz 120 degree 15dBi Dual Polarization Sector Antenna, 2xRP-SMA connectors	49	35
MTAS-5G-19D120	mANT 19s 5GHz 120 degree 19dBi Dual Polarization Sector Antenna, 2xRP-SMA connectors	99	70
MTAD-5G-30D3	mANT 30dBi 5Ghz Parabolic Dish antenna with standard type mount	119	79
MTAD-5G-30D3-PA	mANT 30dBi 5Ghz Parabolic Dish antenna with precision alignment mount	129	89
MTRADC	Radome Cover for mANT30, single-pack	39	27
MTRADC4	Radome Cover for mANT30, 4-pack	129	90
Sleeve30	Sleeve 30 Kit for mANT30 (shell, cover, fasteners, sealant)	89	62

Wireless cards, pigtails

R11e-5HacD	802.11a/c High Power miniPCI-e card with MMCX connectors	49	35
R11e-5HacT	802.11a/c High Power Triple-Chain miniPCI-e card with MMCX connectors	59	38
R11e-5HnD	802.11a/n High Power miniPCI-e card with MMCX connectors	39	25
R11e-2HPnD	802.11b/g/n High Power miniPCI-e card with MMCX connectors	39	25
R11e-2HnD	802.11b/g/n miniPCI-e card with u.fl connectors	39	25

MikroTik distributor pricelist (October 2017), USD		List	Distributor
R2SHPn	802.11b/g/n 2.4Ghz Super High Power MiniPCI card with MMCX connector	49	34
R5SHPn	802.11a/n Super High Power MiniPCI card with MMCX connector	59	34
R52H	802.11a/b/g High Power Dual Band MiniPCI card with UFL connectors	59	34
R52HnD	802.11a/b/g/n High Power Dual Band MiniPCI card with MMCX connectors	59	34
R52nM	802.11a/b/g/n Dual Band MiniPCI card with MMCX connectors	49	25
ACUFL	U.fl-Nfemale pigtail	9	2.7
ACMMCX	MMCX-Nfemale pigtail	9	4
OEMMMCX	MMCX-Nfemale pigtail, OEM version (doesn't fit MikroTik enclosures)	8	2.5